



**THE NEW LINE
OF
DISSTON
HAND
SAWS**

**THE COMPLETE STANDARDIZED LINE
AS REVISED ON AUGUST 1, 1928**



IN EVERY FEATURE

- 1 GREATER BEAUTY**
- 2 LIGHTER BLADES**
- 3 NARROWER BLADES**
- 4 TRUE-TAPER GRINDING**
- 5 THIN, YET STIFF**
- 6 HIGHER POLISH**
- 7 STRIPED BACKS ON ALL SAWS**
- 8 NEW HANDLE DESIGNS**
- 9 WEATHERPROOF FINISH HANDLES**
- 10 NEW HANDLE TAGS**
- 11 BETTER BOXES—NEW LABELS**

Every saw in the new Disston line is a masterpiece of saw making; every one reflects the utmost skill of generations of able craftsmen.

HENRY DISSTON & SONS, INC.

Philadelphia, U. S. A.

Canadian Factory, Toronto

DISSTON

REGULAR PATTERN SAWS

The new line of Disston Hand Saws retains all the well-known regular patterns, viz:

D-115 Regular Pattern

D-12 Regular Pattern

D-16 Regular Pattern

D-8 Regular Pattern

D-7 Regular Pattern

D-112 Regular Pattern

D-17 Regular Pattern

D-120 Regular Pattern

These Regular Pattern (standard width) Saws, however, have been made narrower and lighter and improved in design and finish. They are made in the following lengths and points:

Number of Saw	Style of Blade	Lgh. of Blade	Points Cross-cut	Points Rip
D-115, Regular Pattern	Skew-back	20"	11	
	Skew-back	22"	10	
	Skew-back	24"	10,11	
	Skew-back	26"	7,8,9,10,11	5½,6
D-12, Regular Pattern	Straight-back	20"	10,11	
	Straight-back	22"	8,9,10,11	
	Straight-back	24"	7,8,9,10,11	5½,6,7
	Straight-back	26"	6,7,8,9,10,11	5,5½,6
D-16, Regular Pattern	Straight-back	20"	10	
	Straight-back	22"	10	
	Straight-back	24"	9	
	Straight-back	26"	7,8,9,10,11	5½,6
D-8, Regular Pattern	Skew-back	16"	9,10	
	Skew-back	18"	9,10,11	
	Skew-back	20"	8,9,10,11	
	Skew-back	22"	8,9,10,11	7
	Skew-back	24"	7,8,9,10,11	5½,6,7
	Skew-back	26"	5,6,7,8,9,10,11	4½,5,5½,6
	Skew-back	28"	5,6,7,8	4½,5,5½,6
D-7, Regular Pattern	Straight-back	16"	9,10	
	Straight-back	18"	9,10,11	
	Straight-back	20"	8,9,10,11	
	Straight-back	22"	8,9,10,11	7
	Straight-back	24"	7,8,9,10,11	5½,6,7
	Straight-back	26"	5,6,7,8,9,10	5,5½,6,7
D-112, Regular Pattern	Straight-back	28"	6,7	5,5½
	Skew-back	20"	10	
	Skew-back	22"	10	
	Skew-back	24"	9,10	
D-120, Regular Pattern	Skew-back	26"	7,8, 10	5½
	Skew-back	26"	7,8,9,10,11	5½
	Skew-back	26"	7,8,9,10,11	5½
	Skew-back	26"	7,8,9,10,11	5½
D-17, Regular Pattern	Skew-back	26"	Sections of 5 Cross-cutting and 2 Ripping Teeth	
American Boy	Straight-back	20"	9	
American Boy	Skew-back	20"	9	

DISSTON

LIGHTWEIGHT PATTERN SAWS

(formerly called ship pattern)

In the new line of Disston Hand Saws, practically every regular pattern is also made in a lightweight pattern. These lightweight saws are made in the following numbers:

D-15 Lightweight Pattern D-20 Lightweight Pattern
D-12 Lightweight Pattern D-16 Lightweight Pattern
D-23 Lightweight Pattern D-8 Lightweight Pattern
D-7 Lightweight Pattern

Like the Regular Pattern Saws, listed on the opposite page, the new Disston Lightweight (Ship) Pattern Saws, have also been improved in design and finish.

Disston Lightweight (Ship) Pattern Saws are made in the following lengths and points:

Number of Saw	Style of Blade	Lgh. of Blade	Points Cross-cut	Points Rip
D-15, Lightweight Pattern	Straight-back Straight-back	24" 26"	7,8,9,10,11 7,8,9,10,11	5½,6
D-12, Lightweight Pattern	Straight-back Straight-back	24" 26"	7,8,9,10,11 7,8,9,10,11	5½,6 7
D-23, Lightweight Pattern	Straight-back Straight-back Straight-back Straight-back	20" 22" 24" 26"	10,11 9,10,11 7,8,9,10,11 7,8,9,10,11	5,5½,6,7
D-20, Lightweight Pattern	Skew-back Skew-back Skew-back Skew-back	20" 22" 24" 26"	10,11 10,11 8,9,10,11 7,8,9,10,11	5½,6
D-16, Lightweight Pattern	Straight-back	26"	7,8,9,10,11	5½
D-8, Lightweight Pattern	Skew-back	26"	7,8,9,10,11	5½
D-7, Lightweight Pattern	Straight-back Straight-back	24" 26"	7,8,9,10 7,8,9,10	5½ 7

Both Regular Pattern Saws and Lightweight Pattern Saws are illustrated and described on the following pages.

DISSTON HAND SAWS

D-15 Lightweight Pattern *Straight-back*



Improved pattern of rosewood handle. New grip, roomy and comfortable, new carving, new weatherproof finish, nickel-plated screws. Disston-made Steel blade; Disston true-taper grind. This saw, and the D-115 shown below, are the finest hand saws Disston make.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
24".....	7,8,9,10,11	21 lbs.
26".....	7,8,9,10,115 1/2,6	23 lbs.

Packed 1/6 dozen in box

Width of 26" blade: Butt 6 1/4"; Point 1 1/2"; other lengths in proportion.

D-115 Regular Pattern *Skew-back*



Carved rosewood handle with new weatherproof finish; nickel-plated screws. Disston-made Steel blade; Disston true-taper grind.


Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....11	21 lbs.
22".....10	23 lbs.
24".....10,11	25 lbs.
26".....7,8,9,10,115 1/2,6	26 lbs.

Packed 1/6 dozen in box

Width of 26" blade: Butt 6 5/8"; Point 2 1/8"; other lengths in proportion

DISSTON HAND SAWS

D-12 Regular Pattern Straight-back



Blade made narrower. Improved pattern of applewood handle, carved; new weatherproof finish. Nickel-plated screws. More beauty. Disston-made Steel blade. Disston true-taper grind.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....	10,11	16 lbs.
22".....	8,9,10,11	17 lbs.
24".....	7,8,9,10,11 5 1/2, 6, 7	20 lbs.
26".....	6,7,8,9,10,11 5, 5 1/2, 6	24 lbs.
28".....	7,8 5 1/2	28 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 7 1/4"; Point 2 1/4"; other lengths in proportion

D-12 Lightweight Pattern Straight-back



Improved pattern of applewood handle, carved; new weatherproof finish. Nickel-plated screws. Greater beauty. Disston-made Steel blade. Disston true-taper grind.


Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
24".....	7,8,9,10,11 7	18 lbs.
26".....	7,8,9,10,11 5 1/2, 6	22 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 6 3/8"; Point 1 1/2"; other lengths in proportion

DISSTON HAND SAWS

D-23 Lightweight Pattern *Straight-back*




Improved pattern of applewood handle, carved; new grip, roomy and comfortable; new weatherproof finish. Brass screws. More beautiful. Blade of Disston-made Steel with Disston true-taper grind.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....	10,11	14 lbs.
22".....	9,10,11	16 lbs.
24".....	7,8,9,10,117	18 lbs.
26".....	7,8,9,10,115,5 1/2,6,7	21 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 6 3/8"; Point 1 1/2"; other lengths in proportion

D-20 Lightweight Pattern *Skew-back*



The D-20 differs from the D-23 only in that it has a skew-back blade. Improved pattern of applewood handle, carved; larger hand-hole, new grip; new weatherproof finish. Brass screws. Greater beauty. Disston-made Steel blade. Disston true-taper grind.


Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....	10,11	13 lbs.
22".....	10,11	16 lbs.
24".....	8,9,10,11	18 lbs.
26".....	7,8,9,10,115 1/2,6	22 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 6 3/8"; Point 1 1/2"; other lengths in proportion

DISSTON HAND SAWS

D-16 Regular Pattern *Straight-back*



Blade made narrower. Improved pattern of applewood handle; new weatherproof finish. Brass screws. Higher polish; greater beauty. Disston-made Steel blade. Disston true-taper grind.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....	10	15 lbs.
22".....	10	16 lbs.
24".....	9	19 lbs.
26".....	7,8,9,10,115½,6	25 lbs.

Packed ⅓ dozen in box

Width of 26" blade: Butt 6⅝"; Point 2⅛"; other lengths in proportion

D-16 Lightweight Pattern *Straight-back*



Improved pattern of applewood handle; new weatherproof finish. Brass screws. Higher polish; more beautiful. Disston-made Steel blade. Disston true-taper grind.


Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
26".....	7,8,9,10,115½	21 lbs.

Packed ⅓ dozen in box

Width of 26" blade: Butt 6¼"; Point 1½"; other lengths in proportion

DISSTON HAND SAWS

D-8 Regular Pattern Skew-back




Higher polish, greater beauty. Applewood handle, weather-proof finish. Brass screws. Disston-made Steel blade with Disston true-taper grind.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
16"	9,10		11 lbs.
18"	9,10,11		13 lbs.
20"	8,9,10,11		14 lbs.
22"	8,9,10,11	7	17 lbs.
24"	7,8,9,10,11	5 1/2, 6, 7	20 lbs.
26"	5,6,7,8,9,10,11	4 1/2, 5, 5 1/2, 6	24 lbs.
28"	5,6,7,8	4 1/2, 5, 5 1/2, 6	28 lbs.

Packed 1/3 dozen in box

Width of 26" blade; Butt 7 1/8"; Point 2 11/16"; other lengths in proportion.

D-8 Lightweight Pattern Skew-back



The D-8 Lightweight differs from the D-8 Regular in width of blade only. Higher polish, more beautiful. Applewood handle; new weatherproof finish; brass screws. Disston-made Steel blade. Disston true-taper grind.


Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
26"	7,8,9,10,11	5 1/2	21 lbs.

Packed 1/3 dozen in box

Width of 26" blade; Butt 6 1/4"; Point 1 1/2"

DISSTON HAND SAWS

D-7 Regular Pattern *Straight-back*



Improved pattern of beechwood handle, new weatherproof finish; brass screws. Disston-made Steel blade, with Disston true-taper grind. Higher polish; greater beauty.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
16".....	9,10	12 lbs.
18".....	9,10,11	14 lbs.
20".....	8,9,10,11	16 lbs.
22".....	8,9,10,117	18 lbs.
24".....	7,8,9,10,115 1/2,6,7	20 lbs.
26".....	5,6,7,8,9,105,5 1/2,6,7	25 lbs.
28".....	6,75,5 1/2	28 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 7 1/4"; Point 2 1/4"; other lengths in proportion

D-7 Lightweight Pattern *Straight-back*



The D-7 Lightweight differs from the D-7 Regular in width of blade only. Improved pattern of beechwood handle, new weatherproof finish; brass screws. Disston-made Steel blade. Disston true-taper grind. Higher polish; more beautiful.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
24".....	7,8,9,107	18 lbs.
26".....	7,8,9,105 1/2	23 lbs.

Packed 1/3 dozen in box

Width of 26" blade: Butt 6 3/8"; Point 1 1/2"; other lengths in proportion

DISSTON HAND SAWS

American Boy

Skew- and Straight-back



Handle of hardwood, flemish oak finish, carved; carving stained with green; nickel-plated screws.


Disston-made Steel blade 20 inches long. Made either straight- or skew-back; 9 points to the inch.

Packed one in box. Approximate weight per dozen, 22 lbs.

Width of blade: Butt $5\frac{1}{2}$ "; Point $2\frac{1}{8}$ "

D-112 Regular Pattern

Skew-back



Blade made narrower. Improved pattern of carved apple-wood handle; new weatherproof finish; brass screws. Greater beauty. Disston-made Steel blade. Disston true-taper grind.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
20".....	10	17 lbs.
22".....	10	18 lbs.
24".....	9,10	19 lbs.
26".....	7,8,10 $5\frac{1}{2}$	23 lbs.

Packed $\frac{1}{3}$ dozen in box

Width of 26" blade: Butt $6\frac{5}{8}$ "; Point $2\frac{1}{8}$ "; other lengths in proportion

DISSTON HAND SAWS

D-120 Regular Pattern Skew-back




Blade made narrower. Shape of teeth changed; easier to file. Regular taper file can be used when sharpening. Disston-made Steel blade; high in temper. Hollow-ground for clearance, no set required. Carved applewood handle; new weatherproof finish; nickel-plated screws.

Length Blade	Points in. Cross-cut	Points in. Rip	Approx. Weight per Doz.
26".....	7,8,9,10,11 5 1/2	23 lbs.

Packed 1/6 dozen in box

Width of blade: Butt 6 5/8"; Point 2 1/8"

D-17 Regular Pattern Skew-back



Blade made narrower. Improved pattern of beechwood handle; new weatherproof finish. Disston-made Steel blade, with Disston true-taper grind. New finish; greater beauty.

The D-17 is a double-duty saw—used for both ripping and cross-cutting. It also cuts well diagonally across the grain. Just the saw for general sawing in construction work.

Length of blade, 26" only; brass screws.

Packed 1/6 dozen in box. Approximate weight per dozen, 25 1/2 lbs.

Width of blade: Butt 7"; Point 2 1/8"

DISSTON

"The Saw Most Carpenters Use"

The Disston Saw is known the world over as "The Saw Most Carpenters Use" because, as all master workmen will tell you, it is the kind of tool that insures

BETTER WORK

Printed in U. S. A.

